

Certificate of Analysis

Produced: Jul 07, 2025

Sample: P&B: 30mL Balm Stick 3:1 CBD/THC (Topical) • Client: Strawberry Peak Branch • Batch: Pass



Matrix: Topical
Sample ID: ICC-250702-65-001
Collected on: Jul 02, 2025
Received on: Jul 02, 2025
Batch Size: 2 Units
Sample Size:
Received By: Jennifer Ray
Package Size: 30.73 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Microbial	Pass	Foreign	Pass

Cannabinoid Overview

Δ ⁹ -THC:	70.4 mg/pkg
CBD:	224 mg/pkg
Total Cannabinoids:	320 mg/pkg
Sum of Cannabinoids:	320 mg/pkg

POT-INST-005: POT-INST-005: Expanded Potency

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	12.0	0.0392	0.39	0.0277/0.0831	N/A	CBN	1.71	0.00557	0.056	0.00956/0.0420	N/A
CBCA		ND	ND	0.0389/0.117	N/A	CBNA		ND	ND	0.0143/0.0428	N/A
CBCV		ND	ND	0.0120/0.0420	N/A	CBT		ND	ND	0.0120/0.0420	N/A
CBD	224	0.728	7.3	0.00847/0.0420	N/A	Δ ⁸ -THC		ND	ND	0.00679/0.0420	N/A
CBDA		ND	ND	0.0203/0.0607	N/A	Δ ⁹ -THC	70.4	0.229	2.3	0.0112/0.0420	N/A
CBDV	2.18	0.00710	0.071	0.00672/0.0420	N/A	THCA		ND	ND	0.0154/0.0462	N/A
CBDVA		ND	ND	0.0220/0.0660	N/A	THCV		ND	ND	0.00518/0.0420	N/A
CBG	10.4	0.0339	0.34	0.00956/0.0420	N/A	THCVA		ND	ND	0.0168/0.0503	N/A
CBGA		ND	ND	0.0149/0.0448	N/A	Total THC**	70.4	0.229	2.3		N/A
CBL		ND	ND	0.00661/0.0420	N/A	Total CBD**	224	0.728	7.3		N/A
CBLA		ND	ND	0.0917/0.275	N/A	Total Cannabinoids**	320	1.04	10		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Jul 07, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.140/0.427	Pass	Hexane	290	ND	0.0554/0.236	Pass
Acetone	5000	ND	14.3/43.0	Pass	Isopropyl alcohol		< LOQ	1.07/3.22	N/A
Acetonitrile	410	ND	0.101/0.301	Pass	Methanol	3000	7.77	2.49/7.48	Pass
Benzene	1	ND	0.0176/0.0536	Pass	Methylene chloride	1	ND	0.107/0.612	Pass
Butane	5000	ND	0.815/4.07	Pass	Pentane	5000	ND	0.807/3.58	Pass
Chloroform	1	ND	0.0302/0.0906	Pass	Propane	5000	ND	3.72/11.2	Pass
Ethanol		ND	2.19/6.58	N/A	Toluene	890	ND	0.0738/0.725	Pass
Ethyl acetate	5000	ND	0.263/1.92	Pass	Trichloroethylene	1	ND	0.0151/0.122	Pass
Ethylene oxide	1	ND	0.128/0.486	Pass	o-Xylene		ND	0.0845/0.719	N/A
Ethyl ether	5000	ND	0.992/2.98	Pass	p- and m-Xylene		ND	0.0968/1.44	N/A
Heptane	5000	ND	0.576/2.40	Pass	Total xylenes	2170	ND		Pass

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Jul 07, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Jul 07, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.94/5.88	N/A	Aflatoxin G2		ND	1.54/5.00	N/A
Aflatoxin B2		ND	2.65/8.04	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	3.91/11.9	N/A	Ochratoxin A	20	ND	4.78/14.5	Pass

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Jul 06, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Jul 07, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00937/0.0300	Pass
Acephate	5	ND	0.00629/0.0300	Pass	Imidacloprid	3	ND	0.0231/0.0700	Pass
Acequinocyl	4	ND	0.0280/0.0848	Pass	Kresoxim-methyl	1	ND	0.00982/0.0300	Pass
Acetamiprid	5	ND	0.00718/0.0300	Pass	Malathion	5	ND	0.00673/0.0300	Pass
Aldicarb	Any amt	ND	0.00997/0.0302	Pass	Metalaxyl	15	ND	0.00467/0.0300	Pass
Azoxystrobin	40	ND	0.00400/0.0300	Pass	Methiocarb	Any amt	ND	0.00956/0.0300	Pass
Bifenazate	5	ND	0.00787/0.0300	Pass	Methomyl	0.1	ND	0.0105/0.0318	Pass
Bifenthrin	0.5	ND	0.0162/0.0490	Pass	Mevinphos	Any amt	ND	0.0133/0.0404	Pass
Boscalid	10	ND	0.0106/0.0321	Pass	Myclobutanil	9	ND	0.00963/0.0300	Pass
Carbaryl	0.5	ND	0.00614/0.0300	Pass	Naled	0.5	ND	0.0116/0.0350	Pass
Carbofuran	Any amt	ND	0.00384/0.0300	Pass	Oxamyl	0.2	ND	0.0103/0.0311	Pass
Chlorantraniliprole	40	ND	0.00657/0.0300	Pass	Paclobutrazol	Any amt	ND	0.0111/0.0337	Pass
Chlorpyrifos	Any amt	ND	0.0108/0.0327	Pass	Permethrin	20	ND	0.00396/0.0300	Pass
Clofentezine	0.5	ND	0.00595/0.0300	Pass	Phosmet	0.2	ND	0.00807/0.0300	Pass
Coumaphos	Any amt	ND	0.00712/0.0300	Pass	Piperonylbutoxide	8	ND	0.00869/0.0300	Pass
Daminozide	Any amt	ND	0.0190/0.0576	Pass	Prallethrin	0.4	ND	0.0204/0.0618	Pass
Diazinon	0.2	ND	0.0271/0.0821	Pass	Propiconazole	20	ND	0.0210/0.0637	Pass
Dichlorvos	Any amt	ND	0.0168/0.0508	Pass	Propoxur	Any amt	ND	0.00656/0.0300	Pass
Dimethoate	Any amt	ND	0.00906/0.0300	Pass	Pyrethrins	1	ND	0.00357/0.0300	Pass
Dimethomorph	20	ND	0.0102/0.0308	Pass	Pyridaben	3	ND	0.00834/0.0300	Pass
Ethophosphos	Any amt	ND	0.00586/0.0300	Pass	Spinetoram	3	ND	0.00317/0.0300	Pass
Etofenprox	Any amt	ND	0.00642/0.0300	Pass	Spinosad	3	ND	0.00302/0.0300	Pass
Etoxazole	1.5	ND	0.00498/0.0300	Pass	Spiromesifen	12	ND	0.0103/0.0311	Pass
Fenhexamid	10	ND	0.0147/0.0444	Pass	Spirotetramat	13	ND	0.00992/0.0301	Pass
Fenoxycarb	Any amt	ND	0.0111/0.0335	Pass	Spiroxamine	Any amt	ND	0.00395/0.0300	Pass
Fenpyroximate	2	ND	0.00952/0.0300	Pass	Tebuconazole	2	ND	0.0213/0.0645	Pass
Fipronil	Any amt	ND	0.00568/0.0300	Pass	Thiacloprid	Any amt	ND	0.00348/0.0300	Pass
Flonicamid	2	ND	0.0181/0.0548	Pass	Thiamethoxam	4.5	ND	0.00914/0.0300	Pass
Fludioxonil	30	ND	0.0192/0.0583	Pass	Trifloxystrobin	30	ND	0.00378/0.0300	Pass
Hexythiazox	2	ND	0.0217/0.0657	Pass					

